



Mitsubishi Ecodan Third Party Cylinder All Sizes	
1	Ecodan
2	32 Amp Isolator IMO
3	1" F swivel x 1" M extended lever ball isolating valve x 2
4	750mm long 1" swivel bent female x 28mm copper insulated hoses (pair)
5	Single 600mm Standard Rubber Mount & M10 x 40 stud nuts x 2 Sets
6	28mm Magnetic Filter
7	28mm Flow Balancing Valve with fill & flush Ports
8	15mm Filling Loop with gauge WRAS approved
9	1" Female three way diverting valve 230v
10	50 Litre Buffer Vessel (Rated ERP B)
10A	1/2" Male Automatic Air Vent
10B	1/2" Male Drain Cock
11	1" Male x 28mm iron to copper adaptors (Three port valve & ASHPI) x 2
12	1" Male x 28mm iron to copper adaptors (Cylinder Coil) x 2
13	Duca APE25-8-130 230V/1ph/50Hz Heating circulating pump
14	28mm x 1.1/2" Pump ball isolating valve x 2
15	PAC-FS01-E FTC6 Controller Third Party Unit Flow Sensor Mitsubishi Electric.
16	Thermoblend Glycol 25 litre Drum
17	FTC6 Cylinder DHW Temperature Sensor 5m cable third party cylinder






Mitsubishi Ecodan MELCO Cylinder 5kW	
1	Ecodan
2	32 Amp Isolator IMO
3	1" F swivel x 1" M extended lever ball isolating valve x 2
4	750mm long 1" swivel bent female x 28mm copper insulated hoses (pair)
5	Single 600mm Standard Rubber Mount & M10 x 40 stud nuts x 2 Sets
6	28mm Flow Balancing Valve with fill & flush Ports
7	Thermoblend Glycol 25 litre Drum
8	Cal-Pro 12 Litre Expansion Vessel





Mitsubishi Ecodan MELCO Cylinder 6-8.5kW	
1	Ecodan
2	32 Amp Isolator IMO
3	1" F swivel x 1" M extended lever ball isolating valve x 2
4	750mm long 1" swivel bent female x 28mm copper insulated hoses (pair)
5	Single 600mm Standard Rubber Mount & M10 x 40 stud nuts x 2 Sets
6	28mm Flow Balancing Valve with fill & flush Ports
7	Thermoblend Glycol 25 litre Drum
8	Cal-Pro 18 Litre Expansion Vessel



Mitsubishi Ecodan MELCO Cylinder 11-14kW	
1	Ecodan
2	32 Amp Isolator IMO
3	1" F swivel x 1" M extended lever ball isolating valve x 2
4	750mm long 1" swivel bent female x 28mm copper insulated hoses (pair)
5	Single 600mm Standard Rubber Mount & M10 x 40 stud nuts x 2 Sets
6	28mm Flow Balancing Valve with fill & flush Ports
7	Thermoblend Glycol 25 litre Drum
8	Cal-Pro 25 Litre Expansion Vessel